argo
improve your life
Heating, Air, Wellness 2013/2014

Contents

Fan heaters 4

Electric convector heaters
Multifunctional ceramic fan heaters
Radiant panel heaters
Halogen and quartz heaters
Mineral oil filled electric radiators 11

Gas heaters and radiators 16

Wood-burning stoves 18

Dehumidifiers
Humidifiers
Air purifiers 20

Essential oil diffusers
Mist lamps
Pure essential oil vaporisers 23

Electric blankets and pads 26

Technical datasheets 30

Electrical heating

TOWER CERAMIC FAN HEATERS

HiFan hifi

- Hi-tech design, dolby surround type casing, silver/glossy black finish
- Extremely quiet
- Digital display, LED symbols and “soft touch” controls
- Slim remote control with an operating range of up to 6 m
- Automatic oscillation for optimal air diffusion in the room
- Programmable timer (0 - 12 hours)
- Adjustable room temperature (5 - 35°C)
- Pollen filter, easily removed for cleaning purposes
- Double electronic protection against overheating

Dimensions: 1018x290x290mm

W 1500/2500

new

Lounge

- Slim design very original, oval shape
- Elegant finish, mat black / glossy black display with chrome outline
- 2 heating modes: ECO / COMFORT
- Min./Max consumption: 1200/2000 W
- Digital display, LED symbols and “soft touch” controls
- Slim remote control for use up to 6 m
- 90° auto-swing for optimum air circulation
- Programmable Timer (1-2-4-8 hours)
- Double electronic protection against overheating
- Safety device against overturning

Dimensions: 867x258x258mm

W 1200/2000

TOWER CERAMIC FAN HEATERS

Metal

new

- Metal casing, ultra-thin
- Elegant and solid glass base
- Large surface of hot air outlet
- 2 compact low-noise DC fans
- 2 heating modes: ECO / COMFORT
- Min./Max. consumption:1400/2400W
- Digital thermostat (15-35°C)
- Digital display, LED symbols
- Slim remote control for use up to 6 m
- 90° auto-swing for optimum air circulation
- Programmable Timer (1-12hours)
- Double electronic protection against overheating

Dimensions: 702x263x263mm

W 1400/2400

HiFan tower

- Hi-tech design, with very elegant black glass base
- Extremely quiet, thanks to its 3 AC compact fans
- Large digital display, white LED symbols and “soft touch” controls
- Ultra-thin
- Automatic oscillation for optimal air diffusion in the room
- Programmable timer (0 - 7.5 hours)
- Multi-functional remote control with an operating range of up to 6 m
- Pollen filter, easily removed for cleaning purposes
- Made of self-extinguishing and impact-resistant plastic
- Double electronic protection against overheating
- Overturn protection device

Dimensions: 788x263x263mm

W 1300/2500

CERAMIC FAN HEATER AND PURIFIER

new

Rock

- 3 in 1: Heating or cooling of the environment and air purification
- Original design, elegant finish, glossy black
- 2 heating modes: ECO / COMFORT
- Electronic control of the air outlet temperature
- Built-in ionizer
- UV lamp for the elimination of bacteria
- Pollen filter on the back
- Min. / Max. electricity consumption: 1000/2000 W
- Digital display, LED symbols and controls “soft touch”
- Digital thermostat (15-35°C)
- Slim remote control
- 90° auto-swing for optimum air circulation
- Programmable timer (1-23 hours)
- Comfortable handle matte silver finish
- Overturn and overheating protection device

Dimensions: 550x200x236mm

ION

W 1000/2000

CERAMIC FAN HEATER FOR BATHROOM

HiFan black

- Hi-tech design and functions
- Can be floor-standing, placed on a shelf or wall-mounted, thanks to the special articulated mount
- When wall-mounted for use as a split flat, it can be directed downwards, to the right or to the left and has **IP21 specifications (use in bathrooms)**
- Extremely quiet, thanks to its 2 special AC compact fans
- Large digital display, red LED symbols and “soft touch” controls
- Slim remote control with an operating range of up to 6 m
- Ultra-thin: just 8 cm deep
- Programmable timer (0 - 12 hours)
- Adjustable room temperature (5 - 35°C)
- Air pollen filter, easily removed for cleaning purposes
- Made of self-extinguishing and impact-resistant plastic
- Double electronic protection against overheating
- Overturn protection device

Dimensions: 180x440x80mm

W 1300/2000

IP21

CERAMIC FAN HEATERS FOR BATHROOM

new

Beat

- Attractive design, matt-black
- **Ideal for bathroom - IP21 protection for drip proof**
- 2 heating modes: ECO / COMFORT
- Min / max consumption: 1300/2000W
- Cold ventilation
- Adjustable thermostat
- Swinging base
- Double electric insulation
- Tip-over device

Dimensions: 347x177x222mm

W 1300/2000

IP21

HiFan digit & digit plus

- Made of self-extinguishing hi-gloss white plastic
- **IP21 protection (use in bathroom)**
- Cold ventilation
- Metal front grille and hi-gloss silver finish frame
- Digital control panel and liquid crystal display
- Timer from 1 to 24 h
- Automatic 60° rotation, with concealed rotating base
- Argo DPM (dynamic power management)
- Rubber buttons and blue backlit display
- Very quiet tangential fan (Hi Fan Digit Plus)
- Infrared remote control (Hi Fan Digit Plus)
- Double electrical insulation
- Overturn safety device

Dimensions: 250x190x155mm (Digit)
Dimensions: 380x180x160mm (Digit Plus)

W 900/1800

IP21

Remote control for Digit Plus

digit plus

digit

new

Grunge

- Linear design
- Very simple to use
- 2 heating modes: ECO / COMFORT
- Cold ventilation
- Max power consumption 1800W
- Adjustable room thermostat
- Automatic temperature control
- Double electronic protection against overheating
- Safety device against overturning

Dimensions: 200x200x130mm

W 1800

new

Funk

- Playful design, silver finish
- Very easy to use
- 2 heating modes: ECO / COMFORT
- Cold ventilation
- Max power consumption: 1500W
- Convenient handle for the transport
- Double electronic protection against overheating
- Safety device against overturning

Dimensions: 200x235x128mm

W 1500

WALL CERAMIC FAN HEATERS

new

Wally

- Very elegant finish, metallic silver / brushed silver
- 2 heating modes: ECO / COMFORT
- LCD display and soft-touch keys
- Infrared remote control
- Practical space to store the remote control
- Auto swinging flap
- Min. /max. power consumption: 1000/2000W
- Operating timer 1-8 hours
- Built-in ionizer
- Safety device against overheating

Dimensions: 125x545x215mm

W 1000/2000

ION

Splitto jr

- Equipped with an extremely quiet tangential fan
- Manually controlled power
- Made of self-extinguishing and impact-resistant pearl white plastic
- Protective grille in heat-resistant plastic
- Flap with automatic oscillation
- Overheating safety device

Dimensions: 200x500x140mm

W 1000/1200

new

Pop Ice & Green

- Cheerful design, brilliant green or pure white with silver details
- 2 heating modes: ECO / COMFORT
- Min./max. power consumption: 1000/2000W
- Cold ventilation
- Adjustable room thermostat
- Automatic temperature control
- Convenient handle for the transport
- Double electronic protection against overheating
- Safety device against overturning

Dimensions:210x220x135mm

W 1000/2000

ICE

GREEN

new

Rap Orange & Techno

- Fun design, silver/dark grey or silver/orange finish
- 2 heating modes: ECO / COMFORT
- Cold ventilation
- Min./max. power consumption: 1000/2000W
- Adjustable room thermostat
- Automatic temperature control
- Double electronic protection against overheating

Dimensions: 180X225X200mm

W 1000/2000

ORANGE

TECHNO

Astro ORANGE WHITE

Ufo VIOLET WHITE

Astro & Ufo

- Made of self-extinguishing and impact-resistant plastic
- Wire heating element
- Anti-freeze function (Astro)
- Elegant guide light at the rear to indicate operation (Ufo)
- Cool/Warm ventilation (1000 W) /Very warm (2000 W) (Astro)
- Cool/Warm ventilation(1500 W) (Ufo)

Dimensions: 221x222x151mm (Astro)
Dimensions: ∅ 215X185mm (Ufo)

W 1000/2000 (Astro)
W 1500 (Ufo)

ELECTRIC CONVECTOR HEATERS WITH GLASS PANEL

new

Blues

- Stylish design with large tempered glass panel in black
- **IP24: also usable in bathroom**
- LED Display
- 3 heating modes: ECO, SUPER, COMFORT
- Min./ Max. power consumption: 750/1500W
- Electronic thermostat for room temperature regulation (5-35°C) (COMFORT)
- Digital operating timer 0,5-8 hours
- Control by control panel or slim remote control
- Portable or wall fixed installation

Dimensions: 515x820x260mm (with wheels)
Dimensions: 452x820x105mm (without wheels)

W 750/1500

IP 24

Glam Black & White

new

- Stylish design
- Rugged construction with tempered glass front panel, in white or black
- High energy efficiency: immediate hot, super quiet, environmentally friendly
- 2 heating modes: ECO / COMFORT
- Min./ Max. power consumption: 750/1500 W
- Thermostat for temperature control
- Portable or wall fixed installation

Dimensions: 502x600x245mm (with feet)
Dimensions: 455x600x100mm (without feet)

750/1500W

new

Soul & Soul TT

- Fashion design
- Metallic casing
- 3 heating modes: ECO / COMFORT / SUPER
- Min./Max. Power consumption: 750 / 2000 W
- Thermostat for temperature control
- The TT version is also equipped with powerful fan (TURBO function) and 24 hour timer
- Portable or wall fixed installation
- Convenient side handles for easy transport

Dimensions: 382x600x220 (with supports)
Dimensions: 350x600x100 (without supports)

(Soul TT)

W 750/1250/2000

HiFloor design
HiFloor design plus

- Innovative design in a console style
- Extremely light and easy to use
- 3 power settings: 750/1250/2000 W
- Room thermostat for temperature regulation
- Two versions: Design and Design Plus
- Both have a powerful fan (Turbo function)
- The Design Plus version also has a 24 h timer
- Air discharge at the top and at the front (Turbo mode)
- Side carry handles

Dimensions: 450x693x190mm

Design Plus only

W 750/1250/2000

MICA RADIANT PANEL HEATER

HiFloor ray

- Optimal heat radiation and limited energy consumption
- Mica heating element
- Slim design with metal front grille
- Three power control settings: 500/1000/1500 W
- Room thermostat
- Easy to move
- Ideal for floor-standing use
- Also equipped with special mounts for fixed wall installation

Dimensions: 455x780x240mm

Dimensions: 455x780x80mm (without mounts)

W 500/1000/1500

MULTI-FUNCTIONAL CERAMIC FAN HEATER

Quadro

4 IN 1

- Fan heater with ceramic PTC heating element
- Evaporating humidifier
- Ioniser
- Air purifier

- Extremely quiet radial fan
- Electronic temperature and timer control
- Humidity control with electronic hygrometer
- Five power settings from 600 to 2000 watts
- Some are activated automatically and others can be selected from the control panel in heating mode (1200/2000 watts)
- Air purification with pollen filter
- Activated charcoal filter and natural fibre filter with thermostatic properties
- Made from self-extinguishing and impact-resistant plastic with hi-gloss black finish

Dimensions: 430x450x175mm

W 1000/2000

QUADRO

HALOGEN & QUARTZ HEATERS

Creola q3

- Electric heater with 3 quartz bulbs
- Small and efficient
- Three heat output levels, up to 1500 watts
- Metal protective grille
- Overheating safety devices
- Device triggering automatic shut-down in the event of overturning

Dimensions: 210x410x183mm

W 1500

House

- Stylish design, elegant metallic finish
- Convenient built-in handle
- 2 heating modes: ECO / COMFORT
- Max consumption: 1200W
- Wide range of oscillation (70 °)
- Metal grill for protection
- Anti-overheating safety device
- Automatic shut-off in case of overturning

Dimensions: 700x380x250mm

W 600/1200

new

MINERAL OIL-FILLED RADIATORS

Chily 7-9-11

- Traditional line of mineral oil-filled electric radiators
- The heat is distributed by natural convection and radiation from 7, 9 or 11 heating elements
- Room thermostat
- Overturn and overheating protection device
- Compliant with the most stringent European safety standards

Dimensions: 642x346x125mm (Chily 7)

W 900/1500

Dimensions: 642x426x125mm (Chily 9)

W 900/1500

Dimensions: 642x506x125mm (Chily 11)

W 1200/2000

Gas and Wood heating



Infra xl silver - xl

- Traditional design, suitable for any environment
- Piezoelectric ignition
- Three heat output levels, from 1.3 kW (min.) to 4.1 kW (max.)
- IMQ-certified pressure regulator and gas pipe conforming to national regulations for connection to LPG cylinders are supplied with the heater
- Rear compartment housing a cylinder up to 15 kg
- Swivelling wheels equipped with a wheel block
- Triple safety device: ODS (oxygen depletion sensor), which shuts down the heater if the percentage of CO_2 in the room exceeds permitted levels; PFP, which automatically stops the gas supply if the pilot flame is extinguished; knock/overturn protection
- Black colour (Infra xl) or special silver finishing (Infra xl silver)

Dimensions: 730x420x365mm

SILVER

BLACK

W 1300/4100

GAS HEATERS FOR FIXED INSTALLATION

246
Dimensions:
760x720x250mm

W 10300

316
Dimensions:
695x830x270mm

W 11000

Ventosole

- Ventosole and Thermosole are gas heaters for fixed installation with the expulsion of combustion fumes via chimney
- Available in various models with different heat outputs, with or without forced ventilation, and with piezoelectric or electronic ignition
- Suitable for methane or LPG (optional), with a traditional enamel finish
- All Argo heaters provide solutions for applications with a heat output ranging from 5000 to 11000 W
- Argo heaters are the first choice for all situations where large heat outputs are required in buildings that cannot be fully modernised

Thermosole

1.62
Dimensions:
580x440x240mm

W 6500

2.78
Dimensions:
645x600x240mm

W 8450

2.98
Dimensions:
710x660x240mm

W 9200

BALANCED FLOW GAS RADIATORS

Lyra 3000sq - 3000vtq - 4000vtq

- Balanced flow radiator for primary heating installations
- Suitable for LPG or methane fuel supply
- Cast-iron sealed-chamber burner
- Warm air flow diffused by natural convection and forced ventilation (VTQ)
- Available in three versions:
- - Lyra 3000SQ: 3060 watts
- - Lyra 3000VTQ: 3060 watts (ventilated)
- - Lyra 4000VTQ: 4000 watts (ventilated)
- Very quiet tangential fan
- Piezoelectric ignition and heat regulation
- The ideal solution for installing completely safe, fixed and autonomous heating systems in historic buildings, rural areas, etc...

Dimensions: 490x590x205mm
(Lyra 3000)

Dimensions: 490x710x205mm
(Lyra 4000)

W 3060

W 4000

WOOD-BURNING STOVES

GREY

GREEN

Mignon sl

GREY

GREEN

Super sl

- The famous “Bruciatutto” Argo stoves, which have been evolving since the first design in 1953, demonstrate the durability and reliability of Argo products
- The Super and Mignon stoves are modern, compliant with current standards and eligible for tax deduction initiatives
- Efficiency consistently higher than 70% guarantees maximum-efficiency heat when burning wood, a renewable energy source
- The cast iron lid has handy removable rings that can be used for cooking, just as they were in the past
- The combustion chamber is made of refractory bricks
- The ash compartment is easily accessible at the front of the stoves
- Traditional enamel finish
- Available in two elegant colours that will never go out of fashion and adapt easily to any environment

Dimensions: 740x320x320mm (Mignon sl)

Dimensions: 860x380x380mm (Super sl)

W 6000 (Mignon sl)

W 8000 (Super sl)

Air treatment

Dehumidifiers, Humidifiers, Air purifiers



new

Deolo baby

- Elegant and minimal design
- 11 lt/24h (32°C- 80% R.H.)
- Super compact and user friendly
- Automatic control of humidity level
- Air filter, easily removable for cleaning
- Full tank control device, with light warning
- Continuous condensate discharge
- Integrated handles for transportation
- Practical multidirectional wheels
- Integrated cord storage
- Operation from 5 to 32°C
- Automatic defrosting system

Dimensions: 417x312x235mm

new

Deolo 13/17/21

- 13, 17, 21 lt/24h (32°C- 80% R.H.)
- Super quiet and user friendly
- Airflow optimized for maximum dehumidification efficiency: ideal for drying laundry
- 4-step regulation of humidity level: from 20% to 80%
- Air filter, easily removable for cleaning
- Full tank control device, with light warning
- Continuous condensate discharge
- Integrated handles for transportation
- Practical multidirectional wheels
- Integrated cord storage
- Operation from 5 to 32°C
- Automatic defrosting system

Dimensions: 503x320x215mm

Aroma diffuser built-in

Steammy

- Compact and easy to use
- Produces cold mist at a consumption level of just 16 W
- Equipped with a special tray for essential oils
- 3 coloured LEDs indicate operating status
- Automatic shutdown if there is no water left
- Adjustable mist volume (+/- 20%)
- Independent operation of up to 3 hours without water refilling

Dimensions: 135xø167mm

ml/h 100 **ml 350**

Hydro digit

- Digital control
- Produces cold or lukewarm mist at a very low energy consumption level
- Digital control panel with desired relative humidity level and mist emission level selection (high/medium/low)
- Programmable timer
- Built-in digital hygrometer for adjusting the ultrasonic element
- Preheating function for even more effective humidification: the mist is lukewarm and the room temperature is therefore not lowered
- 360° adjustable mist emission
- Ion exchange filter that removes salts from the mist, to prevent them from being deposited in the room

Dimensions: 204x185x340mm

ml/h 250 **ml 4000**

Puro

- Personal use
- Ideal for small rooms, individual offices, small workspaces, etc...
- Extremely quiet operation at a very low energy consumption level
- Uses **electrostatic trap technology**, which offers the advantage of not having to replace the filter
- Can be cleaned by removing the electrostatic trap and washing the elements with water and detergent
- Effectively eliminates bad odours
- Compliant with ARB standards, contributes to the elimination of numerous organic pollutants and bacteria

Dimensions: 330x120x81mm

m^3/h 18

Jonio easy

- Personal use
- Ideal for small rooms, individual offices, small workspaces, etc...
- Extremely quiet operation at a very low energy consumption level
- Uses **titanium dioxide technology** to purify the air via the oxidation process
- Effectively neutralises bad odours and contributes to the elimination of numerous organic pollutants and bacteria

Dimensions: 243x85x98mm

m^3/h 10

Jonio design

- Domestic air purifiers
- Quiet, with very low energy consumption
- Uses **HEPA filter technology** and is able to remove up to 99.997% of particles up to a size of PM3 (3 microns) from the air
- Equipped with an additional ionisation function, it effectively eliminates pollen, synthetic and industrial pollutants, various atmospheric pollutants and bad odours
- Contributes to the elimination of numerous organic pollutants and bacteria

Dimensions: 495x363x167mm

m^3/h 210

Wellness:

Essential oil diffusers
Mist lamps
Electric blankets & Heating pads

PURE ESSENTIAL OIL VAPORISERS

Oilo

- Three variants: white ceramic, black ceramic and silver plated
- Simple and safe, it diffuses the scent of essential oils by means of the heat produced inside it; however, the outer casing remains cool to the touch
- Does not use hot water: only pure essential oils or pure essential oil mixes
- Simply connect the power supply, flick the switch on and put a few drops of your favourite oil in the special essential oil compartment
- Can operate constantly in complete safety, because it is fitted with an overheating protection device, consuming just 5 watts
- A blue LED indicates its operation and creates a point of light if left running in the evening

Dimensions: 60 x ø 130 mm

AROMA DIFFUSERS

Zeno

- Essential oil diffuser with nebuliser and RGB LED bulb
- Ideal for small rooms, studies and for diffusing your favourite essential oils to create a relaxing environment almost anywhere
- The RGB LED bulb features continuously changing pastel coloured light that is pleasant and attractive to watch
- The colour of the light can be selected according to personal preference and the lamp can also be switched off to leave only the essential oil diffuser and vaporiser on
- Zeno is compact and adapts easily to any environment, it offers very low energy consumption and is made from plastic that is very pleasant to the touch. The base is available in two colours: white and pink

Dimensions: 150X128mm

ml/h 15

LED RGB

Aiko & Loto

- Mist lamps with RGB LED and all types of essential oil diffusers
- Ideal decorative furnishing accessories, these welcoming and attractive lamps produce an intense cold mist coloured by continuously changing pastel shades
- In the case of Aiko, the mist is dispersed throughout the room, while in Loto the mist is contained within a glass bowl
- With the addition of your favourite essential oil and the natural production of anions, these lamps have a relaxing and reinvigorating effect
- Made using soft white frosted glass, they blend seamlessly into any room and decorative style

Dimensions: 180X ø 130mm (Aiko)
Dimensions: 123X ø 130mm (Loto)

ml/h ≥250

Electric overblankets

Daily

- Soft coral fleece blanket in anthracite grey, with luxury tone-on-tone detailing
- This extremely versatile product offers a warming embrace at any time of day: it can be used as a blanket on the sofa or in the armchair, or as an extra bed covering
- 5 power control settings
- Timer from 1 to 8 hours
- Overheating and short-circuit protection
- Power cable can be removed using the special connector with gold-plated contacts
- Machine washable at 40°C max.
- Compliant with European safety standards

Dimensions: 180x130cm

W 120

ELECTRIC BLANKETS

- Electric blankets with luxury detailing and rings for securing to the mattress
- Suitable for continuous use, to be placed between the mattress and sheet
- ARMONY has a dual purpose: it can be used as a fleece blanket without a power supply on sofas and, with a power supply, as an electric underblanket to be placed between the mattress and sheet
- Available in double (190x180) and single (180x90) versions
- Two power settings with short-circuit protection and automatic power cut-off
- The double version has two independently heated areas, for a maximum power of 60 watts per area
- Removable power cables with gold-plated connector contacts
- Hand washable (NATURE) or machine washable at low temperatures (ARMONY and SYNTONY)
- Compliant with European safety standards

Electric underblankets

Nature
pure australian wool
single & double

Dimensions: 180x90cm (Single) **W 60**

Dimensions: 190x180cm (Double) **W 60+60**

Armony blue & violet
coloured polar fleece
single & double

Syntony
polyester
single & double

Neccky pad

- Specific heating pad for neck area
- Warms and relaxes shoulders and neck
- Made of soft polar fleece (Micromink), velvet
- Ergonomic: easy to wear, once positioned, can't be moved thanks to magnets keeping closed the front sides
- 4 temperature control settings with different colours indicator LEDs
- Automatic switch-off function after 120 minutes
- Overheating and short circuit protection
- Machine-washable with mild detergent and program
- Detachable power cord for washing, through special connector with gold-plated contacts
- Compliant with European safety standard

Dimensions: 36x56cm

W 100

Technical datasheets

CERAMIC FAN HEATERS		HI-FAN HIFI	LOUNGE	METAL	HI-FAN Tower
Heating modes		LOW/HIGH	ECO/COMFORT	ECO/COMFORT	LOW/HIGH
Heating modes /Power levels	no.	2	2	2	2
Suitable volume	m^3	80	60	80	80
Anti-mold/anti-bacteria washable filter		•			•
Portable appliance		•	•	•	•
Automatic rotation		•	•	•	•
Digital thermostat				•	
Digital timer		•	•	•	•
Infrared remote control		•	•	•	•
Soft-touch keys		•	•		•
Membrane keys				•	
LCD display		•	•	•	•
Forced ventilation		•	•	•	•
Tangential fan		•	•		•
Axial fan				•	
Ceramic heating element		•	•	•	•
Power supply	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50
Power consumption	W	1500/2500	1200/2000	1400/2400	1300/2500
PTC protection		•	•	•	•
Overheating prevention device		•	•	•	•
Tip-over prevention device		•	•	•	•
Net Dimensions (H./W./D.)	mm	1018/290/290	867/258/258	702/263/263	788/263/263
Net Weight	Kg	5,6	3	4,6	4,7

CERAMIC FAN HEATERS		ROCK	HI-FAN Black	BEAT	HI-FAN Digit plus	HI-FAN Digit
Heating modes		ECO/COMFORT	LOW/HIGH	ECO/COMFORT	LOW/HIGH/AUTO	LOW/HIGH/AUTO
Heating modes /Power levels	no.	2	2	2	3	3
Suitable volume	m^3	60	60	60	60	60
IP21 protection for use in bathroom			•	•	•	•
Summer ventilation		•		•	•	•
Ionization and UV lamp		•				
Anti-mold/anti-bacteria washable filter		•	•			
Portable appliance		•	•	•	•	•
Wall fixed installation option			•			
Automatic rotation		•		•	•	•
Manual rotation			•			
Adjustable angle			•			
Manual thermostat				•		
Digital thermostat		•	•		•	•
Digital timer		•	•			
Programmable timer					•	•
Infrared remote control		•	•	•	•	
Soft-touch keys		•	•			
Membrane keys					•	•
Button keys						
LCD display		•	•		•	•
Forced ventilation		•	•	•	•	•
Tangential fan		•			•	
Axial fan			•	•		•
Ceramic heating element		•	•	•	•	•
Power supply	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50
Power consumption	W	1000/2000	1300/2000	1300/2000	900/1800	900/1800
PTC protection		•	•	•	•	•
Overheating prevention device		•	•	•	•	•
Tip-over prevention device		•	•	•	•	•
Net Dimensions (H./W./D.)	mm	550/236/200	180/440/80	347/177/222	380/180/160	250/190/155
Net Weight	Kg	3,7	2	2	2,1	1,6

TECHNICAL DATASHEETS

CERAMIC FAN HEATERS		GRUNGE	FUNK	WALLY	SPLITTO Jr
Heating modes		ECO/COMFORT	ECO/COMFORT	ECO/COMFORT	LOW/HIGH
Heating modes /Power levels	no.	2	2	2	3
Suitable volume	m^3	60	50	60	60
Summer ventilation		•	•	•	•
Ionization				•	
Portable appliance		•	•		
Wall fixed installation option				•	•
Manual thermostat		•			
Digital thermostat				•	
Digital timer				•	
Programmable timer				•	
Infrared remote control				•	
Membrane keys				•	
Button keys					•
LCD display				•	
Forced ventilation		•	•	•	•
Automatic flap				•	•
Tangential fan				•	•
Axial fan		•	•		
Ceramic heating element		•	•	•	•
Power supply	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50
Power consumption	W	900 / 1800	750 /1500	1000/2000	1000/2000
PTC protection		•	•	•	•
Overheating prevention device		•	•	•	•
Tip-over prevention device		•	•		
Net Dimensions (H./W./D.)	mm	200/200/130	200/235/128	125/545/215	200/500/140
Net Weight	Kg	1,2	1	3,5	3,2

FAN HEATERS & MULTI-FUNCIONAL DEVICES		POP ICE & GREEN	RAP ORANGE & TECHNO	UFO	ASTRO	QUADRO BLACK
Heating modes		ECO/COMFORT	ECO/COMFORT	HIGH	LOW/HIGH	LOW/HIGH
Heating modes /Power levels	no.	2	2	2	3	2
Suitable volume	m^3	60	60	50	60	60
Summer ventilation		•	•	•	•	•
Humidification by cold evaporation						•
Ionization						•
Portable appliance		•	•	•	•	•
Anti-dust and anti-pollution filter						•
Anti-freeze feature					•	
Manual thermostat		•	•		•	
Digital thermostat						•
Programmable timer						•
Membrane keys						•
Forced ventilation		•	•	•	•	•
Manually adjustable flap						•
Axial fan		•	•	•	•	
Radial fan						•
Ceramic heating element						•
Wire-wound heating element		•	•	•	•	
Power supply	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50
Power consumption	W	1000/2000	1000/2000	1500	1000/2000	1000/2000
PTC protection						•
Overheating prevention device		•	•	•	•	•
Tip-over prevention device		•			•	•
Net Dimensions (H./W./D.)	mm	210/220/135	180/225/200	21,5(Diam.) / 18,5(Depth.)	221/222/151	430/450/175
Net Weight	Kg	1	1	1	1,1	5,5

ELECTRIC CONVECTOR & RADIANT PANELS HEATERS		BLUES	GLAM WHITE & BLACK	SOUL & SOUL TT	HI FLOOR DESIGN/DESIGN PLUS	HI FLOOR Ray
Heating modes		ECO / SUPER / COMFORT	ECO / COMFORT	ECO / COMFORT / SUPER	LOW / MED / HIGH	LOW / MED / HIGH
Heating modes /Power levels	no.	3	2	3	3	3
Suitable volume	m^3	50	50	60	60	50
Portable appliance		•	•	•	•	•
Wall fixed installation option		•	•	•		•
Manual thermostat				•	•	•
Digital thermostat		• (COMFORT)				
Manual timer				• (TT)	• (DESIGN PLUS)	•
Digital timer		•				
Button keys		•	•	•	•	•
Infrared remote control		•				
Heating type		Natural convection	Natural convection	Natural convection	Natural convection	Irradiaton
Forced ventilation				• (TT)	•	
Axial fan				• (TT)	•	
Wire heating element		•	•	•	•	
Mica heating element						•
Power supply	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50
Power consumption	W	750/1500/variabile	750/1500	750/1250/2000	750/1250/2000	500/1000/1500
Overheating prevention device		•	•	•	•	•
Net Dimensions (H./W./D.)	mm	515/820/260	502/600/245	382/600/220	450/693/190	470/780/240
Net Dimensions (H./W./D.) without feet/wheels	mm	452/820/105	455/600/100	350/600/100		470/780/80
Net Weight	Kg	9,5	5,5	3,5	4,5	4,8

HALOGEN & QUARTZ HEATERS OIL-FILLED RADIATORS		HOUSE	CREOLA Q3	CHILY 7	CHILY 9	CHILY 11
Heating modes		ECO/COMFORT	LOW/MED/HIGH	LOW/HIGH	LOW/HIGH	LOW/HIGH
Heating modes /Power levels	no.	2	3	2	2	2
Suitable volume	m^3	40	20	42	51	60
Portable appliance		•	•	•	•	•
Heating via natural convetion				•	•	•
Heating via irradiation		•	•	•	•	•
Tubular heating element				•	•	•
Halogen bulbs	no.	2				
Quartz bulbs	no.		3			
Mineral oil-filled heating elements	no.			7	9	11
Power supply	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50
Power consumption	W	600/1200	500/1000/1500	900/1500	900/1500	1200/2000
Overheating prevention device		•		•	•	•
Tip-over prevention device		•	•	•	•	•
Net Dimensions (H./W./D.)	mm	700/380/250	210/410/183	642/346/125	642/426/125	642/506/125
Net Weight	Kg	2,5	1,53	8,04	10	11,96

INFRARED GAS HEATERS BALANCED FLOW GAS RADIATORS		INFRA XL / XL SILVER	LYRA 4000 VTQ	LYRA 3000 VTQ	LYRA 3000 SQ
Heating power	W	1300/4100	4000	3060	3060
Max. suitable volume	m^3	120	150	110	100
Portable appliance		•	•	•	•
Flue pipe diameter	mm		120	120	120
Piezoelectric ignition		•	•	•	•
Pilot flame		•			
Heating power manual regulation		•			
Thermostat modulating the gas flow to the burner			•	•	•
Airtight combustion chamber in cast iron			•	•	•
Heating type		Irradiation	Convection	Convection	Convection
Forced ventilation			•	•	
Tangential fan			•	•	
Fan speeds	no.		1	1	
Methane gas consumption	m3/h		0,400	0,310	0,310
LPG consumption	g/h	98/195/292	289	222	222
Power supply	V/F/Hz		230/1/50	230/1/50	230/1/50
Carbon dioxide monitoring device		•			
Device protecting pilot flam from estinguishing		•			
Tip-over prevention device		•			
Net Dimensions (H./W./D.)	mm	740/420/360	490/710/205	490/590/205	490/590/205
Net Weight	Kg	9	40	30	30

GAS HEATERS FOR FIXED INSTALLATION		VENTOSOLE 316 ASQ-A	VENTOSOLE 246 ASQ	THERMOSOLE 2.98 ASQ	THERMOSOLE 2.78 ASQ	THERMOSOLE 1.62 ASQ
Heating power	W	9100	8500	7600	6900	5300
Max. thermal capacity	W	11000	10300	9200	8450	6500
Max. suitable volume	m^3	400	380	270	250	200
Fixed wall/floor installation		•	•	•	•	•
Porcelain enamel paint fired at 900°C		•	•	•	•	•
Flue pipe diameter	mm	80/100	80	80	80	80
Electronic ignition		•				
Piezoelectric ignition			•	•	•	•
Pilot flame			•	•	•	•
Heating power manual regulation						•
Thermostat modulating the gas flow		•	•	•	•	
Heating type		Convection	Convection	Convection	Convection	Convection
Heating type		Irradiation	Irradiation	Irradiation	Irradiation	Irradiation
Forced ventilation		•	•			
Fan speeds	no.	2	1			
Methane gas consumption	m3/h	1,164	1,090	0,974	0,894	0,690
LPG consumption	g/h	860	810	720	660	500
Power supply	V/F/Hz	230/1/50	230/1/50			
Fume discharge monitoring device		•	•	•	•	•
Net Dimensions (H./W./D.)	mm	695/830/270	760/720/250	710/660/240	645/600/240	580/440/240
Net Weight	Kg	38	35	27	23	13

WOOD-BURNING STOVES		MIGNON SL (green/grey)	SUPER SL (green/grey)
Heating power	W	6000	8000
Max. suitable volume	m^3	150	250
Hot plates surface	m^2	0,95	1,15
Fixed floor installation		•	•
Porcelain enamel paint fired at 900°C		•	•
Flue pipe diameter	mm	100	120
Wood consumption per 24 hours	Kg	6 / 8	10 / 12
Wood-burning stove efficiency	%	70,5	70
Wood-burning combustion chamber volume	dm^3	16	24
Heating type		Irradiation	Irradiation
Net Dimensions (H./W./D.)	mm	740/320/320	860/380/380
Net Weight	Kg	49	75

DEHUMIDIFIERS		DEOLO BABY	DEOLO 13	DEOLO 17	DEOLO 21
Dehumidification capacity	l/24h	11	13	17	21
Reference temperature		32°C	32°C	32°C	32°C
Reference relative humidity		80%	80%	80%	80%
Max. air flow rate	m^3/h	110	115	126	126
Tank/reservoir capacity	l	1,6	2,5	2,5	2,5
Refrigerant type		R134a	R134a	R134a	R134a
Sound pressure level	dB(A)	38	40	41	41
Portable appliance		•	•	•	•
Manual humidistat		•	•	•	•
Anti-mold and anti-pollen washable filter		•	•	•	•
Fan speeds	no.	1	1	1	1
Power supply	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50
Power consumption	W	250	260	410	480
Net Dimensions (H./W./D.)	mm	417/312/235	503/320/215	503/320/215	503/320/215
Net Weight	Kg	11	11,2	13,3	13,7

HUMIDIFIERS AND AIR PURIFIERS		STEAMMY	HYDRO DIGIT	JONIO DESIGN	PURO	JONIO EASY
Max. air flow rate	m^3/h			210	18	10
Tank/reservoir capacity	l	0,35	4			
Sound pressure level	dB(A)			30	<20	15
Portable appliance		•	•	•	•	•
Max. output	ml/h	100	250			
Max. suitable volume	m^3	40	60	110	40	40
Ultrasonic humidification		•	•			
Manual humidistat		•				
Electronic humidistat			•			
Anti-mold and anti-pollen washable filter				•		
Active carbon filter				•		
HEPA filter				•		
Fiber plant catalyst filter				•		
Photocatalytic filter						•
Ion exchange filter		•	•			
Electrostatic filter					•	
Ionization		•	•	•		•
Compliant with ARB standards					•	
Programmable timer		•	•	•		
Infrared remote control				•		
Button keys		•	•	•	•	•
LCD display			•	•		
Transformer		24V				
Fan speeds	no.	1		3	1	
Power supply	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50	230/1/50
Power consumption	W	16	85	40	2,8	5
Net Dimensions (H./W./D.) / H./Diam.)	mm	135(H.)/Φ 167	204/185/340	495/363/167	330/120/81	243/85/98
Peso	Kg	0,65	2,5	4,5	1	0,56

AROMA DIFFUSERS, ESSENTIAL OIL VAPORISERS & DECORATIVE MIST LAMPS		ZENO Light/Rose	LOTO	AIKO	OILO white, black, silver
Essential oil diffuser		•			•
Pure essential oil vaporiser					•
Decorative lamp & essential oil diffuser			•	•	
Mist maker and built-in RGB LED lamp		•	•	•	
Base made of special white plastic material		• Light			
Base made of special pink plastic material		• Rose			
Frosted white glass			•	•	
White - black - silver - plated ceramic					•
Ultrasonic humidification		•	•	•	
Continuous colour variation		•	•	•	
Option to stop on a chosen colour		•			
Steam emission into the room		•		•	
Steam emission into the sphere			•		•
Reservoir capacity	ml	80	1200	800	
Steam Volume	ml/h	15±5	≥250	≥250	
Power supply	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50
Transformer		DC 24V	DC 24V	AC 24V	
Power consumption	W	12	15	15	5
Net Dimensions (H/Circ.)	mm	150 / 128			
Net Dimensions (H./Diam.)	mm		123 / Φ130	180 / Φ130	60 / Φ130
Net weight	Kg	0,4	1,5	1	0,55

HEATING PADS & ELECTRIC BLANKETS		NECCKY PAD	DAILY	NATURE single	NATURE double
Heating pad for neck area		•			
Over blanket for bed or sofa			•		
Blanket for single bed				•	
Blanket for double bed					•
Blanket to be placed between mattress and sheet				•	•
Pure Australian wool				•	•
Soft Coral fleece (pile)			•		
Micromink fleece		•			
Colour		grey	dark grey	white	white
Rings for securing the blanket to the mattress				•	•
Independent areas	No.	1	1	1	2
Maximum heating power	W	100	120	60	60+60
Adjustable power levels	No.	4	5	2	2
Operation timer			1-8h		
Removable power cable		•	•	•	•
Connectors with gold-plated contacts		•	•	•	•
Hand washable				•	•
Machine washable on delicates cycle		30° max	40° max		
Protection against overheating		•	•	•	•
Protection against short circuits		•	•	•	•
Tensione di alimentazione	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50
Net Dimensions (Length/Width)-(H./W./D.)	cm	36 / 56	180 / 130	180 / 90	190 /180
Net weight	Kg	1,00	1,75	1,81	3,8

ELECTRIC BLANKETS		ARMONY single	ARMONY double	SYNTONY single	SYNTONY double
Blanket for single bed		•		•	
Blanket for double bed			•		•
Blanket to be placed between mattress and sheet		•	•	•	•
Polar fleece (pile)		•	•		
Polyester				•	•
Colour		blue/fuchsia	blue/fuchsia	white	white
Rings for securing the blanket to the mattress		•	•	•	•
Independent areas	No.	1	2	1	2
Maximum heating power	W	60	60+60	60	60+60
Adjustable power levels	No.	2	2	2	2
Removable power cable		•	•	•	•
Connectors with gold-plated contacts		•	•	•	•
Machine washable on delicates cycle		40° max	40° max	40° max	40° max
Protection against overheating		•	•	•	•
Protection against short circuits		•	•	•	•
Tensione di alimentazione	V/F/Hz	230/1/50	230/1/50	230/1/50	230/1/50
Net Dimensions (Length/Width)-(H./W./D.)	cm	180 / 90	190 /180	180 / 90	190 /180
Net weight	Kg	1,26	2,7	1,16	2,34

www.argoclima.com

improve your life

argoclima S.p.A.

headquarter
Via Varese, 90
21013 Gallarate (VA) ITALY
Tel: + 39 0331 755111
Fax: + 39 0331 776240
www.argoclima.com

702013209 - 07/2013

N.B. The manufacturer assumes no responsibility for any errors or inaccuracies in the content of this catalogue, and reserves the right to make any necessary changes to its products, at any time and without notice, for technical or commercial reasons.

Argo is a **argoclima S.p.A.** brand, a leading European company in Air Conditioning, Heating and Air treatment.